


Stair Type:	Double Staircase
Building Regulations:	UK
Number of Treads in Flight One:	4
Turn One Direction:	Right
Number of Treads in Turn One:	3
Number of Treads in Flight Two:	0
Turn Two Direction:	Right
Number of Treads in Turn Two:	3
Number of Treads in Flight Three:	3
Rise:	2765mm
Number of Risers:	14
Tread Type:	Closed tread construction
String Material:	32mm Oak Engineered
Tread Material:	22mm MDF Treads
Riser Material:	9mm MDF Risers
Winder Tread Material:	22mm MDF Treads
Individual Rise:	197.5mm
Going:	220mm
Overall String Width:	850mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak
Feature Tread:	bullnose right
Feature Tread Material:	21mm Oak Treads
Assembly:	Assembled
Est. Delivery Date:	from 12 Feb 21 to 16 Feb 21
Reference:	Plot 1 Option 1 Oak Strings Oak Newels & Oak Bull Nose Tread

Please note

1) Labour must NOT be booked until the staircase is delivered.

2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.




Stair Type:	Double Staircase
Building Regulations:	UK
Number of Treads in Flight One:	4
Turn One Direction:	Right
Number of Treads in Turn One:	3
Number of Treads in Flight Two:	0
Turn Two Direction:	Right
Number of Treads in Turn Two:	3
Number of Treads in Flight Three:	3
Rise:	2765mm
Number of Risers:	14
Tread Type:	Closed tread construction
String Material:	32mm Redwood Pine (Furniture Grade)
Tread Material:	22mm MDF Treads
Riser Material:	9mm MDF Risers
Winder Tread Material:	22mm MDF Treads
Individual Rise:	197.5mm
Going:	220mm
Overall String Width:	850mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak
Feature Tread:	bullnose right
Feature Tread Material:	21mm Oak Treads
Assembly:	Assembled
Est. Delivery Date:	from 12 Feb 21 to 16 Feb 21
Reference:	Plot 1 Option 2 Oak Newels & Oak Bull Nose Tread

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



Stair Type:	Double Staircase
Building Regulations:	UK
Number of Treads in Flight One:	4
Turn One Direction:	Right
Number of Treads in Turn One:	3
Number of Treads in Flight Two:	0
Turn Two Direction:	Right
Number of Treads in Turn Two:	3
Number of Treads in Flight Three:	3
Rise:	2800mm
Number of Risers:	14
Tread Type:	Closed tread construction
String Material:	32mm Oak Engineered
Tread Material:	22mm MDF Treads
Riser Material:	9mm MDF Risers
Winder Tread Material:	22mm MDF Treads
Individual Rise:	200mm
Going:	222.12mm
Overall String Width:	850mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak
Feature Tread:	bullnose right
Feature Tread Material:	21mm Oak Treads
Assembly:	Assembled



Est. Delivery Date:
Reference:

from 12 Feb 21 to 16 Feb 21
Plot 2 Option 1 Oak Strings Oak Newels &
Oak Bull Nose Tread

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



Stair Type:	Double Staircase
Building Regulations:	UK
Number of Treads in Flight One:	4
Turn One Direction:	Right
Number of Treads in Turn One:	3
Number of Treads in Flight Two:	0
Turn Two Direction:	Right
Number of Treads in Turn Two:	3
Number of Treads in Flight Three:	3
Rise:	2800mm
Number of Risers:	14
Tread Type:	Closed tread construction
String Material:	32mm Redwood Pine (Furniture Grade)
Tread Material:	22mm MDF Treads
Riser Material:	9mm MDF Risers
Winder Tread Material:	22mm MDF Treads
Individual Rise:	200mm
Going:	222.12mm
Overall String Width:	850mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak

1840mm



Feature Tread:	bullnose right
Feature Tread Material:	21mm Oak Treads
Assembly:	Assembled
Est. Delivery Date:	from 12 Feb 21 to 16 Feb 21
Reference:	Plot 2 Option 2 Oak Newels & Oak Bull Nose Tread

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.