

T: 0113 5135 203 T: 0113 4571 775 E: info@expressstairs.co.uk

expressstairs.co.uk

QUOTE

Quote Info

Reference: 156 Quotation Number: 156 Date of Quotation: 2021-02-04 Quoted By: David Pickles Validity: 30 days

Billing Address

Garry Pugh H S Peplows Timber REF POULTER BURGHWALLIS Newhold Trading Estate Aberford Road Garforth Leeds West Yorkshire LS25 2LD

Total:

Dear Garry,

Thank you for your valued enquiry, below is a detailed specification for your project. Should you agree with the details, please sign and return the order confirmation sheet enclosed with this Quotation. Should you require any changed please contact me when convenient to yourself.

Quantity	Description		Amount (£)
1	Double Staircase x 1		£1,767.00
1	Double Staircase x 1		£967.00
1	Double Staircase x 1		£1,767.00
1	Double Staircase x 1		£967.00
		Subtotal:	£5,468.00
		Delivery:	£25.00
		VAT:	£1,098.60



£6,591.60

Express Stairs Yorkshire Unit 5 Artist Street LS12 2EW

Yours faithfully,

Please check all dimensions and material spec on this drawing before placing an order.

Assembly and Packaging


The staircase is Assembled

Technical Details

Total Rise: 2765mm Individual Rise: 14 @ 197.5mm Individual Going: 220mm Width Over Strings (mm): 850mm

Specification

Strings: 32mm Oak Engineered Treads: 22mm MDF Treads Riser: 9mm MDF Risers Newels: 90mm x 90mm Engineered Oak F.Tread: bullnose right 21mm Oak Treads



1840mm



Express Stairs Yorkshire Unit 5 Artist Street LS12 2EW

The staircase is Assembled


Assembly and Packaging

Technical Details

Total Rise: 2765mm Individual Rise: 14 @ 197.5mm Individual Going: 220mm Width Over Strings (mm): 850mm

Specification

Strings: 32mm Redwood Pine (Furniture Grade) Treads: 22mm MDF Treads Riser: 9mm MDF Risers Newels: 90mm x 90mm Engineered Oak F.Tread: bullnose right 21mm Oak Treads



1840mm



The staircase is Assembled


Assembly and Packaging

Technical Details

Total Rise: 2800mm Individual Rise: 14 @ 200mm Individual Going: 222.12mm Width Over Strings (mm): 850mm

Specification

Strings: 32mm Oak Engineered Treads: 22mm MDF Treads Riser: 9mm MDF Risers Newels: 90mm x 90mm Engineered Oak F.Tread: bullnose right 21mm Oak Treads



1840mm




The staircase is Assembled

Technical Details

Total Rise: 2800mm Individual Rise: 14 @ 200mm Individual Going: 222.12mm Width Over Strings (mm): 850mm

Specification

Strings: 32mm Redwood Pine (Furniture Grade) Treads: 22mm MDF Treads Riser: 9mm MDF Risers Newels: 90mm x 90mm Engineered Oak F.Tread: bullnose right 21mm Oak Treads



1840mm

1808mm



How Will My Staircase Arrive?

Below we will explain how your staircase will be delivered, some companies will not want to say what they do or don't do, so leaving you with more work to do on site that you had hoped for. Here at Express Stairs Yorkshire we do as much for you as we believe is possible without causing you possible problems down the road, everything on the staircase comes fully cut & trenched so all you need to do is put it together.

Staircase Carcass - Unassembled

If you are struggling for access in your property and you chose to order your staircase unassembled then you will receive loose staircase strings, all your treads & risers and any other components for the staircase core pre-cut and trenched to size, (please see photo below) all your wedges & glue blocks will be in a box for your assembly on site.

Staircase Carcass - Pre-assembled

If you have no problem with access then you may wish to order your staircase pre-assembled at no extra charge. This is where the main straight runs of the staircase will be delivered to you already assembled, strings treads & risers. The part of the staircase the comes delivered flat pack would be the staircase turn and newel posts, (please see photo below) these have been dry fitted in our work shop, the only cuts that you may have to do is trim some of the winder risers down to fit in length.

Newel Posts

All newel posts will be delivered at the correct length with all trenching carried out ready to except any treads & risers and strings. Any load bearing newels asked for will be pre-cut to floor level, If you require any other newel posts to be load bearing please inform our sales team or alternatively please add this requirement in your notes section of our online ordering system. Please note all landing newel posts will be supplied as planed blanks 1500mm long.

Handrails & Base Rails & Spindles

All Handrail, Base Rails & Spindles will be delivered un cut, as Express Stairs Yorkshire believes this is better carried out on site, the staircase only has to be fitted slightly out of plumb and then all the cuts are incorrect, also damage can easily happen on site when moving long lengths of handrails around tight corridors and if the mite is caught then the whole length is ruined, we reflect this in our hand rail prices.

Landing Boards

All qtr turn or half landing staircase will be delivered with a landing board, this will need cutting to suit your landing that you will have formed on site, this is because your walls could be slightly out of square etc, you then cut the board we have supplied and fit onto your joists, we also supply strings at the same section of the staircase strings so that if you wish you can follow the string line around you landing board.

Summary

We hope the above gives you an insight of your product will be delivered, if you require any more information please don't hesitate in contacting one of our friendly sales team on info@expressstairs.co.uk or telephone us on 0113 4571775. Click <u>here to view</u> our Terms & Conditions

