

Stair Type: Double Staircase

Building Regulations: UK
Number of Treads in Flight One: 5

Turn One Direction: Right

Number of Treads in Turn One: 1
Number of Treads in Flight Two: 6

Turn Two Direction: Right

Number of Treads in Turn Two: 1
Number of Treads in Flight Three: 3

Rise: 2850mm

Number of Risers: 17

Tread Type: Closed tread construction

String Material: 32mm Redwood Pine (Furniture Grade)

Tread Material: 22mm MDF Treads
Riser Material: 22mm MDF Risers
Winder Tread Material: 22mm MDF Treads

Individual Rise: 167.64mm
Going: 250mm
Overall String Width: 1000mm

Nosing Style:

Top Right Newel:

Bottom Right Newel:

No Nosing Projection
90mm x 90mm Pine
90mm x 90mm Pine

Newel Type: PSE Newel

Newel Material: 90mm x 90mm Pine

Raking Handrail Right: Yes
Handrail Locations: 0,2,4
Handrail Material: Softwood

Spindle Style: Stop Chamfered

Newel Caps:

Newel Cap Type: MDF Flat Cap Assembly: Assembled

Est. Delivery Date: from 19 Jan 21 to 21 Jan 21

Reference: B-G FLIGHT

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



Stair Type: Double Staircase

Building Regulations:

Number of Treads in Flight One:

Turn One Direction:

Number of Treads in Turn One:

Number of Treads in Flight Two:

Turn Two Direction:

Number of Treads in Turn Two:

Number of Treads in Turn Two:

1

Number of Treads in Flight Three:

7

Rise: 2850mm

Number of Risers: 18

Tread Type: Closed tread construction

String Material: 32mm Redwood Pine (Furniture Grade)

Tread Material: 22mm MDF Treads
Riser Material: 22mm MDF Risers
Winder Tread Material: 22mm MDF Treads

Individual Rise: 167.64mm
Going: 250mm
Overall String Width: 1000mm

Nosing Style:No Nosing ProjectionTop Left Newel:90mm x 90mm PineBottom Left Newel:90mm x 90mm Pine

Newel Type: PSE Newel

Newel Material: 90mm x 90mm Pine

Raking Handrail Left: Yes
Handrail Locations: 1,3,5
Handrail Material: Softwood

Spindle Style: Stop Chamfered

Newel Caps:

Newel Cap Type: MDF Flat Cap Assembly: Assembled

Est. Delivery Date: from 19 Jan 21 to 21 Jan 21

Reference:	G-F FLIGHT	
------------	------------	--

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



Stair Type: Double Staircase

Building Regulations:

Number of Treads in Flight One:

Turn One Direction:

Number of Treads in Turn One:

Number of Treads in Flight Two:

Turn Two Direction:

Number of Treads in Turn Two:

Number of Treads in Turn Two:

Number of Treads in Flight Three:

7

Rise: 2850mm

Number of Risers: 18

Tread Type: Closed tread construction

String Material: 32mm Redwood Pine (Furniture Grade)

Tread Material: 22mm MDF Treads
Riser Material: 22mm MDF Risers
Winder Tread Material: 22mm MDF Treads

Individual Rise: 167.64mm Going: 250mm Overall String Width: 1000mm

Nosing Style:

Top Left Newel:

Bottom Left Newel:

90mm x 90mm Pine
90mm x 90mm Pine

Newel Type: PSE Newel

Newel Material: 90mm x 90mm Pine

Raking Handrail Left: Yes
Handrail Locations: 1,3,5
Handrail Material: Softwood

Spindle Style: Stop Chamfered

Newel Caps: 4
Newel Cap Type: MDF Flat Cap
Assembly: Assembled
Est. Delivery Date: from 19 Jan 21 to 21 Jan 21
Reference: F-S FLIGHT

Please note

1) Labour must NOT be booked until the staircase is delivered.

2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.