


Stair Type:	Straight Staircase
Building Regulations:	UK
Rise:	2700mm
Number of Risers:	13
Tread Type:	Closed tread construction
String Material:	32mm Oak Engineered
Tread Material:	30mm Oak Treads
Riser Material:	9mm Oak Venered Risers
Individual Rise:	207.69mm
Going:	230.67mm
Overall String Width:	900mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak
Raking Handrail Right:	Yes
Landing Handrail Right:	Yes
Landing Handrail Right Length:	2000mm
Handrail Material:	Oak
Spindle Style:	Stop Chamfered
Newel Caps:	3
Newel Cap Type:	Oak Flat Cap
Assembly:	Assembled
Est. Delivery Date:	from 29 Jan 21 to 02 Feb 21
Reference:	Solid Oak Option 1 Stair 1

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



Stair Type:	Straight Staircase
Building Regulations:	UK
Rise:	600mm
Number of Risers:	3
Tread Type:	Closed tread construction
String Material:	32mm Oak Engineered
Tread Material:	30mm Oak Treads
Riser Material:	9mm Oak Venered Risers
Individual Rise:	207.69mm
Going:	230.66mm
Overall String Width:	900mm
Nosing Style:	Half Round
Top Right Newel:	90mm x 90mm Engineered Oak
Bottom Right Newel:	90mm x 90mm Engineered Oak
Newel Type:	PSE Newel
Newel Material:	90mm x 90mm Engineered Oak
Raking Handrail Right:	Yes
Landing Handrail Right:	Yes
Landing Handrail Right Length:	1000mm
Handrail Material:	Oak
Spindle Style:	Stop Chamfered
Newel Caps:	3
Newel Cap Type:	Oak Flat Cap
Assembly:	Assembled
Est. Delivery Date:	from 29 Jan 21 to 02 Feb 21
Reference:	Solid Oak Option 1 Stair 2

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.

