

Customer: Mike Farrugia	Job Ref: 9361
Site:	Estimator:
House Ref: Spindles By Others	Plot No(s):
Stair Type: Straight Staircase	Rise: 193.85
Storey Height: 2520mm	Going: 220mm
Stair Width: 800mm	Pitch: 41°
Flight Length: 0	

COMPONENTS LIST

Cut Bot Riser 169mm Tread Width = 241mm

Item	Туре	Finish Material	Qty	Lgth	Section		
1 No Straight Staircase							
Assembly Require			1				
String	Straight	32mm Redwood Pi	ne1	3805	x 32		
		(Furniture Grade)					
String	Straight	32mm Redwood Pi	ne1	4105	x 32		
-	-	(Furniture Grade)					
Tread	Straight	30mm Oak	11	760	30 x 241		
Tread	curtail left	30mm Oak	1	760	30 x 241		
Riser	Straight	9mm MDF	13	757	9 x 199		
Nosing	Square Nose	30mm Oak	1	760	30 x 75		
Newel Standard	Single	90mm x 90mm	1	1500	90 x 90		
		Engineered Oak					
Newel Standard	Single	90mm x 90mm	1	1500	90 x 90		
	-	Engineered Oak					
Newel Caps	Single	Grade)	2	120	120 x 120		
1 No Unassembled Handrail Set 41 x 41 Stop Chamfered Spindles							
Handrail	Rake	Oak	1	4105	65 x 45		
Handrail	Landing	Oak	1	1500	65 x 45		
Baserail	Rake	Oak	1	4105	57 x 32		
Baserail	Landing	Oak	1	1500	57 x 32		
Baluster	Stair	Oak	36	900	41 x 41		
Strings : Grade)							

Treads : Oak

Newels : Grade)

Handrails : Oak

2 x Newel Caps : Grade)

Please note

1) Labour MUST not be booked until the staircase is delivered.

2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.

Express Group Holdings	Inspection Record			
INSPECTION SIGNATURES AND DATES				
1. Materials/Machining Checked by:	2. Treatment Checked by:			
Date:	Date:			
3. Pre-Assembly Checked by:	4. Paint/Finish Checked by:			
Date:	Date:			
5. Final Inspection Check and Comments:				
Date:				
BWF-Stair Labels Used:	Delivery Note No:			
Date:				