



| | |
|-----------------------------------|-------------------------------------|
| Stair Type: | Double Staircase |
| Building Regulations: | UK |
| Number of Treads in Flight One: | 1 |
| Turn One Direction: | Right |
| Number of Treads in Turn One: | 1 |
| Number of Treads in Flight Two: | 5 |
| Turn Two Direction: | Right |
| Number of Treads in Turn Two: | 1 |
| Number of Treads in Flight Three: | 4 |
| Rise: | 2660mm |
| Number of Risers: | 13 |
| Tread Type: | Closed tread construction |
| String Material: | 32mm Redwood Pine (Furniture Grade) |
| Tread Material: | 22mm MDF Treads |
| Riser Material: | 9mm MDF Risers |
| Winder Tread Material: | 22mm MDF Treads |
| Individual Rise: | 204.62mm |
| Going: | 227.25mm |
| Overall String Width: | 900mm |
| Nosing Style: | Half Round |
| Half Newel: | 2 |
| Landing Newel: | 2 |
| Top Left Newel: | 90mm x 90mm Engineered Oak |
| Top Right Newel: | 90mm x 90mm Engineered Oak |
| Bottom Right Newel: | 90mm x 90mm Engineered Oak |
| Newel Type: | PSE Newel |
| Newel Material: | 90mm x 90mm Engineered Oak |
| Raking Handrail Right: | Yes |
| Handrail Locations: | 0,2,4 |
| Landing Handrail Left: | Yes |
| Landing Handrail Left Length: | 4200mm |
| Landing Handrail Right: | Yes |
| Landing Handrail Right Length: | 4200mm |
| Handrail Material: | Oak with Glass |

| | |
|-------------------------|-----------------------------|
| Feature Tread: | c-curtail-bullnose both |
| Feature Tread Material: | 30mm Oak Treads |
| Assembly: | Assembled |
| Est. Delivery Date: | from 02 Mar 21 to 04 Mar 21 |
| Reference: | Option 1 GLASS BY OTHERS |

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.



| | |
|-----------------------------------|---------------------------|
| Stair Type: | Double Staircase |
| Building Regulations: | UK |
| Number of Treads in Flight One: | 1 |
| Turn One Direction: | Right |
| Number of Treads in Turn One: | 1 |
| Number of Treads in Flight Two: | 5 |
| Turn Two Direction: | Right |
| Number of Treads in Turn Two: | 1 |
| Number of Treads in Flight Three: | 4 |
| Rise: | 2660mm |
| Number of Risers: | 13 |
| Tread Type: | Closed tread construction |
| String Material: | 32mm Oak Engineered |
| Tread Material: | 22mm MDF Treads |
| Riser Material: | 9mm MDF Risers |
| Winder Tread Material: | 22mm MDF Treads |
| Individual Rise: | 204.62mm |
| Going: | 227.25mm |
| Overall String Width: | 900mm |
| Nosing Style: | Half Round |
| Half Newel: | 2 |
| Landing Newel: | 2 |

| | |
|--------------------------------|--------------------------------------|
| Top Left Newel: | 90mm x 90mm Engineered Oak |
| Top Right Newel: | 90mm x 90mm Engineered Oak |
| Bottom Right Newel: | 90mm x 90mm Engineered Oak |
| Newel Type: | PSE Newel |
| Newel Material: | 90mm x 90mm Engineered Oak |
| Raking Handrail Right: | Yes |
| Handrail Locations: | 0,2,4 |
| Landing Handrail Left: | Yes |
| Landing Handrail Left Length: | 4200mm |
| Landing Handrail Right: | Yes |
| Landing Handrail Right Length: | 4200mm |
| Handrail Material: | Oak with Glass |
| Feature Tread: | c-curtail-bullnose both |
| Feature Tread Material: | 30mm Oak Treads |
| Assembly: | Assembled |
| Est. Delivery Date: | from 02 Mar 21 to 04 Mar 21 |
| Reference: | Option 2 OAK STRINGS GLASS BY OTHERS |

Please note

- 1) Labour must NOT be booked until the staircase is delivered.
- 2) Your staircase will be put into production within 24 hrs of placing this order and will be produced according to this drawing.